



AWB Western Australian Pool

AWB GOLDEN REWARDS QUALITY MATRIX - ESTIMATED INCREMENTS

Issue date:

08-December-2011

Dollars per tonne (GST Exclusive)

Grade	Base protein	Protein %												Moisture %	\$ per MT
		9.0	9.5	10.0	10.5	11.0	11.5	12.0	12.5	13.0	14.0	15.0	16.0		
H1	13.0%	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.50)	0.00	5.00	10.00	15.00	7.0	3.50
H2	11.5%	0.00	0.00	0.00	0.00	(2.50)	0.00	2.50	5.00	7.50	10.00	12.50	15.00	8.0	3.50
AUH2	11.5%	0.00	0.00	0.00	0.00	(2.50)	0.00	2.50	5.00	7.50	10.00	12.50	15.00	8.5	3.50
APW2	10.0%	0.00	(2.50)	0.00	2.50	5.00	7.50	7.50	7.50	7.50	7.50	7.50	7.50	9.0	3.50
APWN	10.0%	0.00	(2.50)	0.00	2.50	5.00	7.50	7.50	7.50	7.50	7.50	7.50	7.50	9.5	3.00
ANW1	10.5%	(2.50)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.0	2.50
														10.5	2.00
														11.0	1.50
														11.5	1.00
														12.0	0.50
Screenings %	0.0	1.0	2.0	2.5	3.0	3.5	4.0	4.5	5.0	6.0	7.0	8.0	10.0	12.5	0.00
\$ per MT	3.00	3.00	3.00	2.50	2.00	1.50	1.00	0.50	0.00	-2.00	-4.00	-6.00	-6.00	13.0	-1.00
<i>Quality adjustments for protein, screening and moisture are applied in 0.1% increments. Screenings and moisture scales apply to the following Pool grades, H1, H2, AUH2, APW2, APWN and ANW1. Quality scales may change from time to time and new grades will be added as new Estimated Pool returns are announced.</i>														13.5	-2.00
<i>Negative quality scales only apply where dynamic binning is supported at the grain receipt point.</i>															